

# Patons Grace



## RAGLAN CABLES SET

### SIZES

#### Chest measurement

|        |         |           |
|--------|---------|-----------|
| 6 mos  | 17 ins  | [43 cm]   |
| 12 mos | 19 ins  | [48 cm]   |
| 18 mos | 21 ins  | [53.5 cm] |
| 2 yrs  | 21½ ins | [54.5 cm] |
| 3 yrs  | 22½ ins | [57 cm]   |

#### Finished chest

|        |         |           |
|--------|---------|-----------|
| 6 mos  | 21 ins  | [53.5 cm] |
| 12 mos | 24½ ins | [62 cm]   |
| 18 mos | 26 ins  | [66 cm]   |
| 2 yrs  | 28 ins  | [71 cm]   |
| 3 yrs  | 30 ins  | [76 cm]   |

### MATERIALS

Patons Grace (50 g/1.75 oz)

Sizes 6 m 12 m 18 m 2 yrs 3 yrs  
Cardigan and Hat

6 7 7 8 8 balls

Sizes 3.25 mm (U.S. 3) and 4 mm (U.S. 6) knitting needles **or size needed to obtain tension.** Cable needle. 3 st holders. 2 safety pins. 5 buttons.

### TENSION

28 sts and 32 rows = 4 ins [10 cm] with larger needles in pat.

### ABBREVIATIONS

**C6B** = Slip next 3 sts onto a cable needle and leave at back of work. K3, then K3 from cable needle.

### INSTRUCTIONS

**PANEL PAT** (worked over 6 sts)

**1st row:** (RS). K6.  
**2nd and alt rows:** Purl.  
**3rd row:** C6B.  
**5th and 7th rows:** K6.  
**8th row:** Purl.

These 8 rows form Panel Pat.

### CARDIGAN

*The instructions are written for smallest size. If changes are necessary for larger sizes, the instructions will be written thus ( ).*

### BACK

With smaller needles, cast on 69 (81-87-93-99) sts.

**Sizes 6 mos, 12 mos and 2 yrs only:**

**1st row:** (RS). \*P3. K3. Rep from \* to last 3 sts. P3.

**2nd row:** K1. \*P1. K1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**Next row:** (RS). (Increase row). P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 5 (6-7) times. K3. P3. 74 (87-100) sts.

**Next row:** (K1. P1) 3 times. \*K2. P6. K2. P1. K1. P1. Rep from \* to last 3 sts. K1. P1. K1.

**Next row:** P3. \*K3. P2. Work 1st row of Panel Pat. P2. Rep from \* to last 6 sts. K3. P3.

**Next row:** (K1. P1) 3 times. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to last 3 sts. K1. P1. K1.

Panel Pat is now in position.

**Sizes 18 mos and 3 yrs only: 1st row:**

(RS). \*K3. P3. Rep from \* to last 3 sts. K3.

**2nd row:** P1. \*K1. P1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**Next row:** (RS). (Increase row). K3. P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) (6-7) times. K3. P3. K3. (93-106) sts.

**Next row:** (P1. K1) 4 times. P1. \*K2. P6. K2. P1. K1. P1. Rep from \* to last 6 sts. (K1. P1) 3 times.

**Next row:** K3. P3. \*K3. P2. Work 1st row of Panel Pat. P2. Rep from \* to last 9 sts. K3. P3. K3.

**Next row:** (P1. K1) 4 times. P1. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to last 6 sts. (K1. P1) 3 times.

Panel Pat is now in position.



ABBREVIATIONS: [www.patonsyarns.com/glossary](http://www.patonsyarns.com/glossary)

**All Sizes:** Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm] ending with RS facing for next row.

**Raglan shaping:** Keeping cont of pat, cast off 5 (5-7-7-7) sts beg next 2 rows. 64 (77-79-86-92) sts.

**Next row:** (RS). P1. Sl1. K1. pssso. Pat to last 3 sts. K2tog. P1.

**Next row:** K1. P1. Pat to last 2 sts. P1. K1.

Rep last 2 rows 16 (14-16-16-16) times more. 30 (47-45-52-58) sts.

**Next row:** (RS). P1. Sl1. K1. pssso. Pat to last 3 sts. K2tog. P1.

**Next row:** K1. P2tog. Pat to last 3 sts. P2togtbl. K1.

Rep last 2 rows 0 (4-3-4-5) times more. Leave rem 26 (27-29-32-34) sts on a st holder.

## RIGHT FRONT

With smaller needles, cast on 33 (42-45-45-48) sts.

**Sizes 6 mos, 18 mos and 2 yrs only:**

**1st row:** (RS). \*K3. P3. Rep from \* to last 3 sts. K3.

**2nd row:** \*P1. K1. Rep from \* to last st. P1.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**1st row:** (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) 2 (3-3) times. K3. P3. K3. 35 (48-48) sts.

**2nd row:** (P1. K1) 4 times. P1. \*K2. P6. K2. P1. K1. P1. Rep from \* to end of row.

**3rd row:** (K3. P2. Work 1st row of Panel Pat. P2) 2 (3-3) times. K3. P3. K3.

**4th row:** (P1. K1) 4 times. P1. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to end of row. Panel Pat is now in position.

**Sizes 12 mos and 3 yrs only: 1st row:** (RS). \*K3. P3. Rep from \* to end of row.

**2nd row:** \*K1. P1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**1st row:** (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) (3-4) times. (K3. P3) (1-0) time. (45-52) sts.

**2nd row:** (K1. P1) (3-0) times. \*K2. P6. K2. P1. K1. P1. Rep from \* to end of row.

**3rd row:** (K3. P2. Work 1st row of Panel Pat. P2) (3-4) times. (K3. P3) (1-0) time.

**4th row:** (K1. P1) (3-0) times. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to end of row.

Panel Pat is now in position.

**All Sizes:** Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm] ending with WS facing for next row.

**Raglan shaping: Next row:** Cast off 5 (5-7-7-7) sts. Pat to end of row. 30 (40-41-41-45) sts.

**Next row:** (RS). Pat to last 3 sts. K2tog. P1.

**Next row:** K1. P1. Pat to end of row. Rep last 2 rows 12 (13-13-14-15) times more. 17 (26-27-26-29) sts.

**Neck shaping:** With RS of work facing, slip first 6 (8-8-8-8) sts onto a safety pin. Rejoin yarn to rem 11 (18-19-18-21) sts and proceed as follows:

**Next row:** (RS). Sl1. K1. pssso. Pat to last 3 sts. K2tog. P1.

**Next row:** Pat to last 2 sts. P2togtbl. Rep last 2 rows 0 (0-1-1-0) time more. 8 (15-13-12-18) sts.

**Size 6 mos only: Next row:** (RS). Sl1. K1. pssso. Pat 3 sts. K2tog. P1. 6 sts.

**Next row:** Work even in pat.

**Next row:** Sl1. K1. pssso. K1. K2tog. P1. 4 sts.

**Next row:** P4.

**Next row:** Sl1. K1. pssso. K2tog. 2 sts.

**Next row:** P2.

**Next row:** K2tog. Fasten off.

**Sizes 12 mos and 3 yrs only: Next row:** (RS). Sl1. K1. pssso. Pat to last 3 sts. K2tog. P1.

**Next row:** P2tog. Pat to last 2 sts. P2togtbl. (11-14) sts.

**Size 18 mos only: Next row:** (RS). Sl1. K1. pssso. Pat to last 3 sts. K2tog. P1. 11 sts.

**Next row:** Work even in pat.

**Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row:** (RS). Sl1. K1. pssso. Pat to last 2 sts. K2tog.

**Next row:** P2tog. Pat to end of row. Rep last 2 rows (2-2-1-3) time(s) more. (2-2-6-2) sts.

**Size 2 yrs only: Next row:** (RS). Pat to last 2 sts. K2tog.

**Next row:** P2tog. Pat to end of row. Rep last 2 rows once more. 2 sts.

**Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row:** (RS). K2tog. Fasten off.

## LEFT FRONT

With smaller needles, cast on 33 (42-45-48) sts.

**Sizes 6 mos, 18 mos and 2 yrs only:**

**1st row:** (RS). \*K3. P3. Rep from \* to last 3 sts. K3.

**2nd row:** \*P1. K1. Rep from \* to last st. P1.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**1st row:** (RS). (Increase row). K3. P3. K3. (P3. K1. Inc 1 st in next st. K1. P3. K3) 2 (3-3) times. 35 (48-48) sts.

**2nd row:** \*P1. K1. P1. K2. P6. K2. Rep from \* to last 9 sts. (P1. K1) 4 times. P1.

**3rd row:** K3. P3. K3. (P2. Work 1st row of Panel Pat. P2. K3) 2 (3-3) times.

**4th row:** P1. K1. P1. K2. \*Work 2nd row of Panel Pat. K2. P1. K1. P1. K2. Rep from \* to last 9 sts. (P1. K1) 4 times. P1. Rep from \* to end of row. Panel Pat is now in position.

**Sizes 12 mos and 3 yrs only: 1st row:** (RS). \*P3. K3. Rep from \* to end of row.

**2nd row:** \*P1. K1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**1st row:** (RS). (Increase row). (P3. K3) (1-0) time. (P3. K1. Inc 1 st in next st. K1. P3. K3) (3-4) times. (45-52) sts.

**2nd row:** \*P1. K1. P1. K2. P6. K2. Rep from \* to last (6-0) sts. (P1. K1) (3-0) times.

**3rd row:** (P3. K3) (1-0) time. (P2. Work 1st row of Panel Pat. P2. K3) 3 times.

**4th row:** \*P1. K1. P1. K2. Work 2nd row of Panel Pat. K2. Rep from \* to last (6-0) sts. (P1. K1) (3-0) times.

Panel Pat is now in position.

**All Sizes:** Cont even in pat until work from beg measures 6½ (7-7¾-8½-9¼) ins [17 (18-19.5-21.5-23.5) cm], ending with RS facing for next row.

**Raglan shaping: Next row:** Cast off 5 (5-7-7-7) sts. Pat to end of row. 30 (40-41-41-45) sts.

Work 1 row even in pat.

**Next row:** (RS). P1. Sl1. K1. pssso. Pat to end of row.

**Next row:** Pat to last 2 sts. P1. K1. Rep last 2 rows 11 (12-12-13-14) times more.

**Next row:** P1. Sl1. K1. pssso. Pat to end of row. 17 (26-27-26-29) sts.

**Neck shaping: Next row:** (WS). Pat to last 6 (8-8-8-8) sts. **Turn.** Leave rem 6 (8-8-8-8) sts on a safety pin.

**Next row:** P1. Sl1. K1. pssso. Pat to last 2 sts. K2tog.

**Next row:** P2tog. Pat to end of row. Rep last 2 rows 0 (0-1-1-0) time more. 8 (15-13-12-18) sts.

**Size 6 mos only: Next row:** (RS). P1. Sl1. K1. pssso. Pat 3 sts. K2tog. 6 sts.

**Next row:** Work even in pat.

**Next row:** P1. Sl1. K1. pssso. K1. K2tog. 4 sts.

**Next row:** P4.

**Next row:** Sl1. K1. pssso. K2tog. 2 sts.

**Next row:** P2.

**Next row:** Sl1. K1. pssso. Fasten off.

**Sizes 12 mos and 3 yrs only: Next row:** (RS). P1. Sl1. K1. pssso. Pat to last 2 sts. K2tog.

**Next row:** P2tog. Pat to last 2 sts. P2togtbl. (11-14) sts.

**Size 18 mos only: Next row:** (RS). P1. Sl1. K1. pssso. Pat to last 2 sts. K2tog. 11 sts.

**Next row:** Work even in pat.

**Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row:** (RS). Sl1. K1. pssso. Pat to last 2 sts. K2tog.

**Next row:** Pat to last 2 sts. P2togtbl.

Rep last 2 rows (2-2-1-3) time(s) more. (2-2-6-2) sts.

**Size 2 yrs only: Next row:** (RS). Sl1. K1. pssso. Pat to end of row.

**Next row:** Pat to last 2 sts. P2togtbl.

Rep last 2 rows once more. 2 sts.

**Sizes 12 mos, 18 mos, 2 and 3 yrs only: Next row:** (RS). Sl1. K1. pssso. Fasten off.

## SLEEVES

With smaller needles, cast on 45 (45-45-51-51) sts.

**Sizes 6, 12 and 18 mos only: 1st row:** (RS). \*P3. K3. Rep from \* to last 3 sts. P3.

**2nd row:** K1. \*P1. K1. Rep from \* to end of row.

Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**Next row:** (RS). (Increase row). P3. K1. Inc 1 st in next st. K1. P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 3 times. 49 sts.

**Next row:** \*K2. P6. K2. P1. K1. P1. Rep from \* to last 10 sts. K2. P6. K2.

**Next row:** P2. Work 1st row of Panel Pat. P2. (K3. P2. Work 1st row of Panel pat. P2) 3 times.

**Next row:** \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to last 10 sts. K2. Work 2nd row of Panel Pat. K2. Panel Pat is now in position.

**Sizes 2 and 3 yrs only: 1st row:** (RS). \*K3. P3. Rep from \* to last 3 sts. K3.  
**2nd row:** P1. \*K1. P1. Rep from \* to end of row.  
Rep last 2 rows 4 times more.

Change to larger needles and proceed in pat as follows:

**Next row:** (RS). (Increase row). (K3. P3. K1. Inc 1 st in next st. K1. P3) 4 times. K3. 55 sts.

**Next row:** P1. K1. P1. \*K2. P6. K2. P1. K1. P1. Rep from \* to end of row.

**Next row:** (K3. P2. Work 1st row of Panel Pat. P2) 4 times. K3.

**Next row:** P1. K1. P1. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to end of row.

Panel Pat is now in position.

**All Sizes:** Keeping cont of Panel Pat, inc 1 st each end of needle on next and every following 4th row until there are 63 (65-69-71-73) sts, taking inc sts into pat.

Cont even in pat until work from beg measures 6 (7½-8-9-10) ins [15 (19-20.5-23-25.5) cm], ending with RS facing for next row.

**Raglan shaping:** Keeping cont of pat, cast off 5 (5-7-7-7) sts beg next 2 rows. 53 (55-55-57-59) sts.

**Next row:** (RS). P1. Sl1. K1. pss0. Pat to last 3 sts. K2tog. P1.

**Next row:** K1. P1. Pat to last 2 sts. P1. K1. Rep last 2 rows 14 (17-19-20-21) times more. 23 (19-15-15-15) sts.

**Next row:** (RS). P1. Sl1. K1. pss0. Pat to last 3 sts. K2tog. P1.

**Next row:** K1. P2tog. Pat to last 3 sts. P2togtbl. K1.

Rep last 2 rows 2 (1-0-0-0) time(s) more.

Leave rem 11 sts on a st holder.

## FINISHING

**Neckband:** Sew raglan seams.

With smaller needles and RS of work facing, K6 (8-8-8-8) from right front safety pin. Pick up and knit 8 (9-11-12-12) sts up right front neck edge. K11 from right sleeve st holder dec 3 sts evenly across. K26 (27-29-32-34) sts from back st holder, dec 1 (2-2-1-3) st(s) evenly across. K11 from left sleeve st holder dec 3 sts evenly across. Pick up and knit 8 (9-11-12-12) sts down left front neck edge. K6 (8-8-8-8) from left front safety pin. 69 (75-81-87-87) sts.

**Next row:** (WS). P3. \*K3. P3. Rep from \* to end of row.

**Next row:** K1. P1. K1. Rep from \* to end of row.

Rep last 2 rows twice more. Cast off in pat.

**Button Band:** With smaller needles, cast on 7 sts.

**1st row:** (RS). K2. (P1. K1) twice. K1.

**2nd row:** (K1. P1) 3 times. K1.

Rep last 2 rows until band when slightly stretched, fits up Right Front to top of neckband, sewing in place as you work. Mark position for 5 buttons, having the top button ½ inch [1 cm] below neck edge, the bottom button ½ inch [1 cm] above lower edge and rem 3 buttons spaced evenly between.

Work Buttonhole Band as given for Button Band working buttonholes to correspond to button position as follows:

**Next row:** (RS). Rib 3. Cast off 2 sts. Rib to end of row.

**Next row:** Rib, casting on 2 sts over cast off sts. Cast off in ribbing.

Sew side and sleeve seams. Sew buttons to correspond to buttonholes.

## HAT

**Note:** Hat is sized for 6 mos, 12/18 mos and 2/3 yrs.

With smaller needles, cast on 105 (117-129) sts.

**1st row:** (RS). P3. \*K3. P3. Rep from \* to end of row.

**2nd row:** K1. \*P1. K1. Rep from \* to end of row.

Rep last 2 rows 8 times more.

Change to larger needles and proceed as follows:

**1st row:** (RS). (Increase row). P3. (K3. P3. K1. Inc 1 st in next st. K1. P3) 8 (9-10) times. K3. P3. 113 (126-139) sts.

**Next row:** (K1. P1) 3 times. \*K2. P6. K2. P1. K1. P1. Rep from \* to last 3 sts. K1. P1. K1.

**Next row:** P3. \*K3. P2. Work 1st row of Panel Pat. P2. Rep from \* to last 6 sts. K3. P3.

**Next row:** (K1. P1) 3 times. \*K2. Work 2nd row of Panel Pat. K2. P1. K1. P1. Rep from \* to last 3 sts. K1. P1. K1.

Panel Pat is now in position.

Cont even in pat until work from beg measures 7 (8½-8½) ins [18 (21.5-21.5) cm], ending with RS facing for next row.

**Shape top: 1st row:** P1. P2tog. \*K3. P2tog. Work appropriate row of Panel Pat. P2tog. Rep from \* to last 6 sts. K3. P2tog. P1. 95 (106-117) sts.




**2nd row:** K2. K1. P1. K1. \*K1. Work appropriate row of Panel Pat. (K1. P1) twice. Rep from \* to last 2 sts. K2.

**3rd row:** P2tog. \*K1. K2tog. P1. Work appropriate row of Panel Pat. P1. Rep from \* to last 5 sts. K2tog. K1. P2tog. 84 (94-104) sts.

**4th row:** K1. P2. \*K1. Work appropriate row of Panel Pat. K1. P2. Rep from \* to last st. K1.

**5th row:** P1. \*K2tog. P1. Work appropriate row of Panel Pat. P1. Rep from \* to last 3 sts. K2tog. K1. 75 (84-93) sts. Draw yarn through rem sts and fasten securely. Sew back seam, reversing seam for cuff turn back.

**Pom-pom:** Wind yarn around 4 fingers approx 100 times. Remove from fingers and tie tightly in center. Cut through each side of loops. Trim to a smooth round shape. Sew to top of Hat.



**Patons**

... a part of your life.

P.O. Box 40, Listowel ON N4W 3H3